



according to Regulation (EC) No 1907/2006

**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

909 Interior Complete MP90900500AB

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cleaner

**1.3. Details of the supplier of the safety data sheet**

|               |                            |                                 |
|---------------|----------------------------|---------------------------------|
| Company name: | TUNAP GmbH & Co. KG        |                                 |
| Street:       | Bürgermeister-Seidl-Str. 2 |                                 |
| Place:        | D-82515 Wolfratshausen     |                                 |
| Telephone:    | +49 (0) 8171/1600 - 0      | Telefax: +49 (0) 8171/1600 - 40 |
| e-mail:       | sdb@tunap.com              |                                 |
| Internet:     | www.tunap.com              |                                 |

**1.4. Emergency telephone number:** +49 (0) 30 30 686 790 (Giftnotruf Berlin)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Aerosol: Aerosol 1

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

|      |   |
|------|---|
| H222 | Extremely flammable aerosol.                |
| H229 | Pressurised container: May burst if heated. |

**Precautionary statements**

|           |  |
|-----------|--|
| P102      | Keep out of reach of children.   |
| P101      | If medical advice is needed, have product container or label at hand.                          |
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211      | Do not spray on an open flame or other ignition source.  |
| P260      | Do not breathe Aerosol.  |
| P280      | Wear eye/face protection.  |
| P271      | Use only outdoors or in a well-ventilated area.  |
| P314      | Get medical advice/attention if you feel unwell.   |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.                   |
| P251      | Do not pierce or burn, even after use.   |
| P501      | Dispose of contents/container according to the official regulations.                           |



according to Regulation (EC) No 1907/2006

**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 2 of 10

**2.3. Other hazards**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.  
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

| CAS No   | Chemical name                         |              |                  | Quantity    |
|----------|---------------------------------------|--------------|------------------|-------------|
|          | EC No                                 | Index No     | REACH No         |             |
|          | GHS Classification                    |              |                  |             |
| 115-10-6 | dimethyl ether                        |              |                  | 10 - < 20 % |
|          | 204-065-8                             | 603-019-00-8 |                  |             |
|          | Flam. Gas 1, Liquefied gas; H220 H280 |              |                  |             |
| 75-28-5  | isobutane                             |              |                  | 10 - < 20 % |
|          | 200-857-2                             | 601-004-00-0 | 01-2119485395-27 |             |
|          | Flam. Gas 1, Liquefied gas; H220 H280 |              |                  |             |
| 74-98-6  | propane                               |              |                  | 1 - < 3 %   |
|          | 200-827-9                             | 601-003-00-5 | 01-2119486944-21 |             |
|          | Flam. Gas 1, Liquefied gas; H220 H280 |              |                  |             |
| 106-97-8 | butane                                |              |                  | 0.1 - < 1 % |
|          | 203-448-7                             | 601-004-00-0 | 01-2119474691-32 |             |
|          | Flam. Gas 1, Liquefied gas; H220 H280 |              |                  |             |

Full text of H and EUH statements: see section 16.

**Labelling for contents according to Regulation (EC) No 648/2004**

15 % - &lt; 30 % aliphatic hydrocarbons, preservation agents (Phenoxyethanol).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

**After inhalation**

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with eyes**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed**

Headache, nausea, dizziness, fatigue, skin irritation

**4.3. Indication of any immediate medical attention and special treatment needed**

**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 3 of 10

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Danger of bursting container.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Wear personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

**Advice on protection against fire and explosion**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Further information on handling**

Avoid contact with skin and eyes.

**7.2. Conditions for safe storage, including any incompatibilities**


**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 4 of 10

**Requirements for storage rooms and vessels**

Observe legal regulations and provisions.

**Hints on joint storage**

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

**Further information on storage conditions**

Protect from frost. Protect against direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

**7.3. Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**Exposure limits (EH40)**

| CAS No   | Substance      | ppm | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|----------|----------------|-----|-------------------|-----------|---------------|--------|
| 106-97-8 | Butane         | 600 | 1450              |           | TWA (8 h)     | WEL    |
|          |                | 750 | 1810              |           | STEL (15 min) | WEL    |
| 115-10-6 | Dimethyl ether | 400 | 766               |           | TWA (8 h)     | WEL    |
|          |                | 500 | 958               |           | STEL (15 min) | WEL    |

**Additional advice on limit values**

- a no restriction
- b End of exposure or end of shift
- c at long term exposure: after several previous shifts
- d before next shift

blood (B)  
Urine (U)

**8.2. Exposure controls**
**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

**Eye/face protection**
Suitable eye protection: Tightly sealed safety glasses.  
DIN EN 166
**Hand protection**

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min  
Thickness of the glove material 0,45 mm  
DIN EN 374
**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.


**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 5 of 10

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
 When exceeding the relevant workplace exposure limits, note the following:  
 Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..  
 Filtering device with filter or ventilator filtering device of type: AX  
 Observe the wear time limits as specified by the manufacturer.  
 Observe legal regulations and provisions.

**Environmental exposure controls**

Observe legal regulations and provisions.

**SECTION 9: Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state: Aerosol  
 Colour: grey  
 Odour: orange

**Test method**

pH-Value (at 20 °C): not determined DIN 19268

**Changes in the physical state**

Melting point: not determined  
 Initial boiling point and boiling range: -40 °C  
 Flash point: -80 °C

**Flammability**

Solid: not applicable  
 Gas: not applicable

Lower explosion limits: 1,5  
 Upper explosion limits: 32

**Auto-ignition temperature**

Solid: not applicable  
 Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties**

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1,04 g/cm<sup>3</sup> DIN 51757

Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water.

**Solubility in other solvents**

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

**9.2. Other information**

Solid content: not determined

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 6 of 10

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

**10.5. Incompatible materials**

Oxidizing agents. Pyrophoric or self-heating substances.

**10.6. Hazardous decomposition products**

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO<sub>2</sub>, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

**Further information**

Do not mix with other chemicals.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No   | Chemical name        |                |         |        |  |
|----------|----------------------|----------------|---------|--------|--|
|          | Exposure route       | Dose           | Species | Source |  |
| 75-28-5  | isobutane            |                |         |        |  |
|          | inhalation vapour    | LC50 1237 mg/l | Mouse.  |        |  |
| 106-97-8 | butane               |                |         |        |  |
|          | inhalation (4 h) gas | LC50 658 ppm   | Rat     | GESTIS |  |

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 7 of 10

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No information available.

**SECTION 12: Ecological information****12.1. Toxicity**

The product is not: Ecotoxic.

| CAS No   | Chemical name            |                  |           |                             |   |
|----------|--------------------------|------------------|-----------|-----------------------------|---|
|          | Aquatic toxicity         | Dose             | [h]   [d] | Species                     | Source                                    |
| 115-10-6 | dimethyl ether           |                  |           |                             |   |
|          | Acute fish toxicity      | LC50 > 4100 mg/l | 96 h      | Poecilia reticulata (Guppy) |   |
|          | Acute algae toxicity     | ErC50 > 154 mg/l | 96 h      | Green Algae                 |   |
|          | Acute crustacea toxicity | EC50 > 4400 mg/l | 48 h      | Daphnia magna               |   |
| 75-28-5  | isobutane                |                  |           |                             |   |
|          | Acute fish toxicity      | LC50 91,42 mg/l  | 96 h      | Fish, no other information  | United States Environmental Protection A  |
|          | Acute algae toxicity     | ErC50 19,37 mg/l | 96 h      | Algae                       | USEPA OPPT Risk Assessment Division (200) |
|          | Acute crustacea toxicity | EC50 69,43 mg/l  | 48 h      | Daphnia sp.                 | USEPA OPPT Risk Assessment Division (200) |
| 74-98-6  | propane                  |                  |           |                             |   |
|          | Acute fish toxicity      | LC50 49,9 mg/l   | 96 h      | Fish, no other information  | United States Environmental Protection A  |
|          | Acute algae toxicity     | ErC50 19,37 mg/l | 96 h      | Algae                       | USEPA OPPT Risk Assessment Division (200) |
|          | Acute crustacea toxicity | EC50 69,43 mg/l  | 48 h      | Daphnia sp.                 | USEPA OPPT Risk Assessment Division (200) |
| 106-97-8 | butane                   |                  |           |                             |   |
|          | Acute fish toxicity      | LC50 49,9 mg/l   | 96 h      | Fish, no other information  | United States Environmental Protection A  |
|          | Acute algae toxicity     | ErC50 19,37 mg/l | 96 h      | Algae                       | USEPA OPPT Risk Assessment Division (200) |
|          | Acute crustacea toxicity | EC50 69,43 mg/l  | 48 h      | Daphnia sp.                 | USEPA OPPT Risk Assessment Division (200) |

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.



### 909 Interior Complete MP90900500AB

Print date: 28.06.2019

Product code: 1101639

Page 8 of 10

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name  | Log Pow |
|----------|----------------|---------|
| 115-10-6 | dimethyl ether | 0,1     |
| 75-28-5  | isobutane      | 1,09    |
| 74-98-6  | propane        | 1,09    |
| 106-97-8 | butane         | 1,09    |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

##### Contaminated packaging

Completely emptied packages can be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

|  |                 |
|--|-----------------|
| <b>14.1. UN number:</b>                  | UN 1950         |
| <b>14.2. UN proper shipping name:</b>    | AEROSOLS        |
| <b>14.3. Transport hazard class(es):</b> | 2               |
| <b>14.4. Packing group:</b>              | -               |
| Hazard label:                            | 2.1             |
| Classification code:                     | 5F              |
| Special Provisions:                      | 190 327 344 625 |
| Limited quantity:                        | 1 L             |
| Excepted quantity:                       | E0              |
| Transport category:                      | 2               |
| Tunnel restriction code:                 | D               |



**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 9 of 10

**Inland waterways transport (ADN)**

|  |                 |
|--|-----------------|
| <b>14.1. UN number:</b>                  | UN 1950         |
| <b>14.2. UN proper shipping name:</b>    | AEROSOLS        |
| <b>14.3. Transport hazard class(es):</b> | 2               |
| <b>14.4. Packing group:</b>              | -               |
| Hazard label:                            | 2.1             |
| Classification code:                     | 5F              |
| Special Provisions:                      | 190 327 344 625 |
| Limited quantity:                        | 1 L             |
| Excepted quantity:                       | E0              |

**Marine transport (IMDG)**

|  |                                 |
|--|---------------------------------|
| <b>14.1. UN number:</b>                  | UN 1950                         |
| <b>14.2. UN proper shipping name:</b>    | AEROSOLS                        |
| <b>14.3. Transport hazard class(es):</b> | 2.1                             |
| <b>14.4. Packing group:</b>              | -                               |
| Hazard label:                            | 2.1                             |
| Marine pollutant:                        | no                              |
| Special Provisions:                      | 63, 190, 277, 327, 344, 381,959 |
| Limited quantity:                        | 1000 mL                         |
| Excepted quantity:                       | E0                              |
| EmS:                                     | F-D, S-U                        |

**Air transport (ICAO-TI/IATA-DGR)**

|  |                     |
|--|---------------------|
| <b>14.1. UN number:</b>                  | UN 1950             |
| <b>14.2. UN proper shipping name:</b>    | AEROSOLS, flammable |
| <b>14.3. Transport hazard class(es):</b> | 2.1                 |
| <b>14.4. Packing group:</b>              | -                   |
| Hazard label:                            | 2.1                 |
| Special Provisions:                      | A145 A167 A802      |
| Limited quantity Passenger:              | 30 kg G             |
| Passenger LQ:                            | Y203                |
| Excepted quantity:                       | E0                  |
| IATA-packing instructions - Passenger:   | 203                 |
| IATA-max. quantity - Passenger:          | 75 kg               |
| IATA-packing instructions - Cargo:       | 203                 |
| IATA-max. quantity - Cargo:              | 150 kg              |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

Warning: Flammable gases.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: isobutane; butane



according to Regulation (EC) No 1907/2006

**909 Interior Complete MP90900500AB**

Print date: 28.06.2019

Product code: 1101639

Page 10 of 10

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

**Additional information**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)  
Aerosol directive (75/324/EEC)**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,3.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

**Relevant H and EUH statements (number and full text)**

H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

**Further Information**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]:  
Calculation method.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*